

seppi m[®]

MULCHING EQUIPMENT SPECIALISTS



Quality by Design

BOOM MOUNTED MULCHERS

**SBM
SBM AVS**

67 - 150 HP



INNOVATION

- > over 70 years experience
mulching equipment specialists since 1971
- > continuous research for new solutions and technologies
- > optimal material, with low wear

QUALITY

- > every machine is tested before leaving the factory
- > use of the best components only
- > low wear

RELIABILITY

- > high performance machines
- > close to customer sales and service network
- > fast and efficient customer care



SBM

The new generation of Boom Mounted Mulchers – very user friendly and ultra efficient whatever the conditions.

Whether you need to mow roadsides, cut hedges, or maintain watercourses, a SEPPI Boom Mounted Mulchers is the right choice.

Because of their extremely robust construction and user friendly features, you always do excellent work in the shortest possible time.

Just look at the outstanding features of the new SBM range. SEPPI have a worldwide network of specialist to back up their product.

SEPPI M. Means Efficiency

Here are your benefits:



RESISTANCE

All critical components are made of special steel: extreme durability with minimum weight, The machine can be fitted with a forestry mulching head, or with a head of working width up to 175 cm.



BEST VISIBILITY

The AVS system (Advanced Visual Safety) moves the mulcher head forward into your field of view to increasing safety and comfort while driving.



ELECTRONIC HEAD SUSPENSION

Thanks to the exclusive EHS system constant manual adjustments are no longer needed. This allows the operator to quickly react to sudden obstacles and maximize his productivity.




You will love its strength!


features	SBM
ISO 3-point rear linkage with stabilizers	2. & 3. cat.
gearbox	540 rpm
hydraulic breakaway	S
independent hydraulic system with oil cooler	100+60 l/min [26+16 GPM] max. 250 bar [3,630PSI]
hydr. pumps and closed circuit piston motor	reverse direction of rotation possible
ergonomical joystick	S
proportional electric remote control	S
EHS system for automatic adjustment to the contours of the ground	S
AVS system	X
mulches grass and brush up to (with standard mulching head H-SML 125)	5 cm [2"] Ø
rear lamp kit with anticollision bar	O

S: standard - O: option - X: not available

Intelligent control, high power at the mulching head and an extremely robust design - with the SBM you can mulch up to 175 cm [69"] width in one pass. Thanks to its ergonomic joystick operation and the EHS system which adapts the mulching head automatically to the contours of the ground it achieves driving speeds like no other boom mounted mulcher.

And when things get tough, change to the MINI-BMS mulching head: with this forestry mulching head you can easily mulch brush and bushes up to a diameter of 10 cm [4"].





	SBM 500	SBM 650
A	4,5 m [177"]	5,8 m [228"]
B	1,8 m [71"]	2,5 m [98"]
C	3,6 m [142"]	4,8 m [189"]
D	4,4 m [172"]	5,5 m [217"]

mulching head	working width cm ["]	standard tools	#	optional tools	#	suitable for mulching of	SBM
							standard / option
H-SML	125 [49]	SML flails on shackles	24	SMW flails or 3 Y knives	12 / 18	grass / brush up to 5 cm [2"] Ø	S
H-SML	155 [61]	SML flails on shackles	30	SMW flails or 3 Y knives	18 / 24	grass / brush up to 5 cm [2"] Ø	O
H-SMO-B	150 [59]	SMO flails	15	3 Y knives	21	grass / brush up to 7 cm [3"] Ø	O
H-SMO-B	175 [69]	SMO flails	18	3 Y knives	24	grass / brush up to 7 cm [3"] Ø	O
MINI-BMS	105 [41]	swinging forestry hammers	17	fixed forestry knives	21	brush / wood up to 10 cm [4"] Ø	O

S: standard - O: option

	boom length cm ["]	weight* kg [lb]	standard flails #	Ø roller mm ["]	min. tractor-weight* kg [lb]	kW** min-max	HP** min-max
SBM	500 [197]	1.500 [3,310]	24	133 [5.2]	3.500 [7,720]	50-110	67-150
	650 [256]	1.750 [3,860]	24	133 [5.2]	4.500 [9,920]		

* The weight of the machine is approximate, it refers to the standard version without any options and it may vary.
 ** The indicated kW and HP refer to the power required at the PTO output shaft, not to the nominal tractor power.



Be forward looking!

features	SBM avs
ISO 3-point rear linkage with stabilizers	2. & 3. cat.
gearbox	540 rpm
hydraulic breakaway	S
independent hydraulic system with oil cooler	100+60 l/min [26+16 GPM] max. 250 bar [3,630PSI]
hydr. pumps and closed circuit piston motor	reverse direction of rotation possible
ergonomical joystick	S
proportional electric remote control	S
EHS system for automatic adjustment to the contours of the ground	S
AVS sytem	S
mulches grass and brush up to (H-SML 125)	5 cm [2"] Ø
rear lamp kit with anticollision bar	O


S: standard - O: option - X: not available

The unique AVS system allows the "SBM avs" to place the cutting head well forward and in clear view of the operator. This increases the control of the boom mounted mulcher enormously. The driver can react quickly if unexpected obstacles such as stones, stumps or other material block its path.

This increases safety while mulching. For the driver the safety increases as well - thanks to this improved model, he can concentrate on his work without the need to turn his head.



SBM avs: outreach



SBM avs	
A	5,8 m [228"]
B	2,5 m [98"]
C	4,8 m [189"]
D	5,5 m [217"]
E	1,06 m [42"]

mulching head	working width cm ["]	standard tools	#	optional tools	#	suitable for mulching of	SBM avs
							standard / option
H-SML	125 [49]	SML flails on shackles	24	SMW-flails or 3 Y knives	12 / 18	grass / brush up to 5 cm Ø	S
	155 [61]	SML flails on shackles	30	SMW-flails or 3 Y knives	18 / 24	grass / brush up to 5 cm Ø	O

S: standard - O: option

boom length cm	weight* kg [lb]	standard flails #	Ø roller mm ["]	min. tractor-weight* kg [lb]	kW** min-max	HP** min-max	
SBM avs	650 [256]	1.860 [4,100]	24	133 [5.2]	5.000 [11,020]	50-110	67-150

* The weight of the machine is approximate, it refers to the standard version without any options and it may vary.
 ** The indicated kW and HP refer to the power required at the PTO output shaft, not to the nominal tractor power.



The Advantage of High Quality


Mulching Equipment Pioneers

Founded in 1939 by Max Seppi, SEPPI M. is now one of the foremost manufacturer in its sector - not only in Europe, but worldwide. A pioneer like no other, SEPPI has been manufacturing mulching equipment for more than 40 years. SEPPI's mission is "To improve the professional's work through innovative and efficient solutions".

The many years of experience, together with the tireless research for more advanced technologies and more resistant materials result in the premium quality of the SEPPI equipment with tough machines that are reliable even under extreme working conditions.

The biggest gratification over the past 70 years has been our satisfied customers, who have benefitted from long and efficient work with the SEPPI equipment – a continuous motivation to keep on focusing on high quality! The family-based character of the company today being led by the third generation, stands for fair and responsible business relationships.

Discover the many advantages of owning SEPPI equipment!



AGRICULTURAL, FORESTRY AND INDUSTRIAL MOWERS

SEPPI M. S.p.A. - Zona Artigianale 1 - I-39052 Caldaro (Bolzano) Italy
Tel. +39 0471 963550 - Fax +39 0471 962547 - sales@seppi.com - www.seppi.com

AUTHORIZED DEALER

Ask our team for further information!